

SRK WALL-MOUNT SERIES

The SRK Wall-Mount Series Cabinets offer reliability, value, and versatility in organizing and securing your 19" standard rack-mount servers and networking equipment. These fixed style wall mounted cabinets are a cost-effective solution when you need to mount equipment securely on the wall. They come assembled with rails that are field adjustable - tapped 12-24 or square, multiple cable management points, a built-in area for a power strip, brushed cable entry, and laser knockouts for adding fans or additional cable entry, lockable side panels, and a locking glass door.



FEATURES

- Available in multiple heights including: 2ft., 3ft., and 4ft.
- Three depths: 8" (200mm), 18" (450mm), and 26" (650mm).
- Removable side panels make for easy moves, adds, and changes (MAC's).
- Easily integrates with accessories such as power, cooling, and cable management.
- The back panel is removable for easy installation.
- Window door comes standard and is field reversible for left or right swing.
- · Lockable side panels for added security.
- Square or tapped 12-24 rails adjustable front to rear.



PAINT/FINISH

Textured black powder

LOAD RATING

Varies per size. Weight capacity is dependent on secure mounting into proper structure.

INDUSTRY STANDARDS EIA 310-D






MOUNTING RAILS

Adjustable front to rear. Field reversible square or tapped 12-24 hole.



LIFT OFF DOORS

Quick release. Easy on and off. Field reversible. 140° of rotation. Lock included.



INTEGRATED CABLE/AIRFLOW MANAGEMENT

The top has integrated cable entry/exit points and venting provisions for the optional fan kit.















PART NUMBERS

These cabinets come fully assembled and include: frame, window front door, side panels, two pair of reversible mounting rails, and back panel.

8" Deep Part Number	Rack Units	Overall Dimensions H x W x D* in. (mm)	Maximum Usable Depth in. (mm)	Weight Capacity lbs. (kg)
BF06-630-B1A	6U	13.78" x 23.32" x 7.87" (350 x 600 x 200)	5.55" (141)	135 (61)
BF09-630-B1A	9U	19.00" x 23.32" x 7.87" (480 x 600 x 200)	5.55" (141)	135 (61)
BF12-630-B1A	12U (3 ft)	24.38" x 23.32" x 7.87" (620 x 600 x 200)	5.55" (141)	250 (113)
BF15-630-B1A	15U	29.68" x 23.32" x 7.87" (750 x 600 x 200)	5.55" (141)	250 (113)
BF18-630-B1A	18U (4 ft)	34.82" x 23.32" x 7.87" (885 x 600 x 200)	5.55" (141)	300 (136)
BF27-630-B1A	27U (5 ft)	50.50" x 23.32" x 7.87" (1282 x 600 x 200)	5.55" (141)	400 (181)

18" Deep Part Number	Rack Units	Overall Dimensions H x W x D* in. (mm)	Maximum Usable Depth in. (mm)	Weight Capacity Ibs. (kg)
BF06-655-B1A	6U	13.78" x 23.32" x 17.71" (350 x 600 x 450)	16.14" (410)	135 (61)
BF09-655-B1A	9U	19.00" x 23.32" x 17.71" (480 x 600 x 450)	16.14" (410)	135 (61)
BF12-655-B1A	12U (3 ft)	24.38" x 23.32" x 17.71" (620 x 600 x 450)	16.14" (410)	250 (113)
BF15-655-B1A	15U	29.68" x 23.32" x 17.71" (750 x 600 x 450)	16.14" (410)	250 (113)
BF18-655-B1A	18U (4 ft)	34.82" x 23.32" x 17.71" (885 x 600 x 450)	16.14" (410)	300 (136)
BF27-655-B1A	27U (5 ft)	50.50" x 23.32" x 17.71" (1282 x 600 x 450)	16.14" (410)	400 (181)


26" Deep Part Number	Rack Units	Overall Dimensions H x W x D* in. (mm)	Maximum Usable Depth in. (mm)	Weight Capacity Ibs. (kg)
BF06-675-B1A	6U	13.78" x 23.32" x 25.59" (350 x 600 x 650)	24.00" (610)	135 (61)
BF09-675-B1A	9U	19.00" x 23.32" x 25.59" (480 x 600 x 650)	24.00" (610)	135 (61)
BF12-675-B1A	12U (3 ft)	24.38" x 23.32" x 25.59" (620 x 600 x 650)	24.00" (610)	250 (113)
BF15-675-B1A	15U	29.68" x 23.32" x 25.59" (650 x 600 x 650)	24.00" (610)	250 (113)
BF18-675-B1A	18U (4 ft)	34.82" x 23.32" x 25.59" (885 x 600 x 650)	24.00" (610)	300 (136)
BF27-675-B1A	27U (5 ft)	50.50" x 23.32" x 25.59" (1282 x 600 x 650)	24.00" (610)	400 (181)

^{*}Depth includes front door.

Optional Fan Part Number	Compatible With
LW-FAN-4IN-CBK	8" Deep Cabinet

Optional Fan Part Number	Compatible With
SCA-UCST-03-CBK	18" Deep Cabinet 26" Deep Cabinet


TECHNICAL SPECIFICATIONS




Front (w/o front door)




Right Side




Front



Left Side



Back




Back (w/o swing-out)




A-A Section




Mounting Rail (Reversible)



Top



Mounting Dimension (Tapped Rails)





Three Depths 8" (200mm), 18" (450mm), and 26" (650mm)



Six Heights 6U, 9U, 12U, 15U, 18U, 27U

©2023 SharkRack. All rights reserved. SharkRack™ and the SharkRack logo are trademarks or registered trademarks of SharkRack. All other names and logos referred to are trade names, trademarks or registered trademarks of their respective owners. While every precaution has been taken to ensure accuracy and completeness here, SharkRack assumes no responsibility, and disclaims all liability, for damages resulting from use of this information or for any errors or omissions. Specifications, rebates and other promotional offers are subject to change at SharkRack's sole discretion upon notice.