

SHARK RACK

Professional Server Rack Storage Solutions





Professional Server Rack Storage Solutions

About Sharkrack

At Sharkrack, it is our mission to address today's critical industrial manufacturing and digital infrastructure needs with products and services that power and protect your ever-growing technology and operational investment. As a trusted U.S.-based business partner with two decades of engineering heritage, we are uniquely prepared to respond to your specific requirements with global availability and rapid product customization—giving you a decisive competitive advantage in the market.

Core Product List

We offer a comprehensive range of products tailored to industrial and digital infrastructure needs, including but not limited to:

- Sheet Metal Cabinets: Heavy-duty, customizable enclosures for industrial equipment and ICT components, designed for durability and easy maintenance.
- Power Distribution Units (PDU): High-efficiency, reliable power management solutions for data centers, industrial facilities, and critical infrastructure.
- Edge Computing Components: Compact, ruggedized systems that support edge computing deployments, enabling low-latency data processing in remote or harsh environments.
- Custom Fabricated Parts: Precision-manufactured metal components tailored to unique customer specifications, including brackets, panels, and enclosures for specialized applications.
- Infrastructure Accessories: Complementary products such as cable management systems, cooling solutions, and security features to enhance the functionality of our core offerings.

Breadth of Products & Solutions

TECMOJO combines innovation, configurability, quality, and value across a comprehensive portfolio of integrated system components. Our offerings cover virtually all physical layer and operational needs of today's industrial and data center infrastructure—with future-ready design to adapt seamlessly to evolving industry demands.

Global Availability

Headquartered in the United States, TECMOJO operates a global network with regional hubs across North America, Europe, and the Asia-Pacific, including key offices in Canada, the United Kingdom, China, and Australia. This widespread presence ensures localized support, faster delivery, and responsive service wherever your business operates.

Customization & Customer Focus

Our integrated engineering and manufacturing model enables exceptional flexibility to design and deliver tailored solutions that solve unique problems. Whether you require standard configurations or fully customized components, our customer-obsessed approach ensures your exact specifications are met with precision, speed, and uncompromising quality.

Build Smarter Infrastructure

Infrastructure Solutions for Data Centers,
Enterprise Networks & AV Deployments

Trusted by IT Integrators, Contractors,
Distributors & Enterprise Customers



Real-Time Stock Tracking



Automated Replenishment



Barcode Scanning Integration

WHY Sharkrack



ILLINOIS &
GEORGIA
INVENTORY



FAST
FULFILLMENT



PROJECT
SUPPORT



OEM & CUSTOM
MANUFACTURING



20+ YEARS
MANUFACTURING
EXPERIENCE

PRODUCT PORTFOLIO



SERVER & NETWORK CABINETS

27U42U 45U48U Enterprise
Data Center Solutions



WALL MOUNT CABINETS

Secure Network Enclosures



OPEN FRAME RACKS

2-Post 4-Post Wall Mount Flexible
Deployment Solutions



RACK POWER DISTRIBUTION

PDUs & Power Accessories
Reliable Power Management



CABLE MANAGEMENT

Brush Panels · D-Rings Rack Accessories
Cleaner, More Organized Installations



NETWORK CONNECTIVITY

Patch Panels Keystone Jacks Patch
Cords Reliable Network Infrastructure

BUILT FOR



DATA CENTERS



ENTERPRISE
NETWORKS



TELECOM



EDUCATION



HEALTHCARE



AV SYSTEMS

PREMIUM SERVER

RACKS AND CABINETS

TReliable. Scalable. Built for Modern Data Centers

HIGH PERFORMANCE ENCLOSURES FOR IT INFRASTRUCTURE

- ✓ Designed for high-density server and network deployments
- ✓ Optimized airflow with perforated doors
- ✓ Supports up to 3000 lbs static load capacity
- ✓ Flexible mounting for servers, switches & patch panels
- ✓ Integrated cable & PDU management system





PART NUMBERS

Available in 45 sizes, these cabinets come fully assembled on a pallet and include: Frame, 2 Pair Square Hole Rails, Solid Side Panels, Perforated Door on Front, Split Perforated "French Style" Door on Rear, Top with Cable Knockouts and Cooling Provisions, 2 Vertical Lacing Panels, Casters, and Levelers. Note: Please kindly note that there may be an additional charge for the Bottom Panel if required.

OPTIONAL TOP COVERS

Server and network cabinets with an option of two types of top covers:






KEY FEATURES & DESIGN ADVANTAGES

LIFT OFF DOORS

Quick release. Easy on and off.
Field reversible. 140° of rotation.
Ground wire and locks included.



REMOVABLE SIDE PANELS

Four removable side panels with integrated latches enable easy access and secure anti-unauthorized disassembly.




LINK BUCKLE

Multiple cabinets can be connected,
Secure your rack, secure your business.



ADJUSTABLE MOUNTING RAILS

Fully adjustable front to rear.
Numbers assist with alignment.



SPECIFICATIONS

Part Number	Rack Units	Colour
1211010#	42U	Black
1211011#		White
1211020#	45U	Black
1211021#		White
1211030#	48U	Black
1211031#		White
1211040#	52U	Black
1211041#		White
1211070#	47U	Black
1211071#		White

Remark : # mean (1 2 3 4 5 6)
1: 600mm width 43 in deep 2:
600mm width 48in deep
3: 750mm width 43in deep
4: 750mm width 48in deep
5: 800mm width 43in deep
6: 800mm width 48in deep



NETWORK RACK CABINET

HIGH PERFORMANCE ENCLOSURES FOR IT INFRASTRUCTURE

- ✓ Designed for IT & Telecom Equipment
- ✓ Optimized airflow with perforated doors
- ✓ Supports up to 1800 lbs static load capacity
- ✓ Flexible mounting for servers, switches & patch panels
- ✓ Integrated cable & PDU management system



DESCRIPTION

These cabinets have the capacity and quality to meet modern IT Data Center requirements for high density computing and networking. They provide flexible ways to mount servers, patch panels, routers, and other devices reliably and securely. With perforated front and rear doors for front to rear airflow, built-in cable and PDU management, and static load capacity of 1800 lbs., these cabinets satisfy any requirement for mounting mission-critical equipment.

SPECIFICATIONS

	Rack Units	Wide	Deep	Colour	Overall Dimensions H x W x D in. (mm)
12130201	27	600mm	23.6in	Black	1298x 600 x 600
12130204			31.5in		1298 x 600 x 800
12130202					
12130205					
12130301	42U	600mm	23.6in	Black	1965x600x600
12130304			31.5in	Black	1965x 600 x 800
12130302				Black	
12130305				White	
12130302B					
12130305B			39.4in	Black	1965x 600 x 1000
12130303					
12130306					

ELITE SWING OUT SERIES WALL MOUNT CABINETS

Secure Design | Space-Saving | Easy Installation

DESCRIPTION

The Tecmojo Swing-Out Wall Mount Cabinet is built for secure and reliable network deployments in space-constrained environments. Featuring a swing-out design for easy rear access, lockable doors, and excellent ventilation, it provides strong protection and convenient cable management for critical equipment.



SKU : 11110532

KEY FEATURES



Secure & Durable

Heavy-duty cold-rolled steel construction with lockable front and rear doors.



Easy Installation

Wall-mount design with included mounting hardware for quick setup.



High Load Capacity

Supports up to 331lbs (150kg) maximum static load.



Swing-Out Design

180° swing-out frame for easy access to rear-mounted equipment and cabling.



Excellent Ventilation

Vented top, bottom, and perforated doors ensure optimal airflow.



Professional Finish

Black powder-coated finish resists corrosion and scratches.

SPECIFICATIONS

Material	Cold Rolled Steel
Weight Capacity	331lbs (150kg)
Mounting	19-inch Rack Mount
Door Type	Lockable Mesh/Glass Front Door / Lockable Steel Rear Door
Cable Entry	Top & Bottom with Brush Panels
Ventilation	Vented Top, Bottom & Perforated Doors
Compliance	EIA/ECA-310-E Compliant
Application	Suitable for cabinets and open frame racks
Package Includes	Cabinet/Two cooling Fans / Hardware/Keys/User Manual

CONFIGURATIONS

SKU	Rack Units	Door	Height	Width	Depth	Weight Capacity	back frame Size
11110531	12U	Glass	24.9"(633mm)	24.9"(633mm)	27.6"(700mm)	331lbs (150kg)	100mm
11110532	12U	Mesh	24.9"(633mm)	24.9"(633mm)	27.6"(700mm)	331lbs (150kg)	100mm
11110539	18U	Glass	35.4"(900mm)	24.9"(633mm)	27.6"(700mm)	331lbs (150kg)	100mm
11110540	18U	Mesh	35.4"(900mm)	24.9"(633mm)	27.6"(700mm)	331lbs (150kg)	100mm
11110543	27U	Glass	51.2"(1300mm)	24.9"(633mm)	27.6"(700mm)	331lbs (150kg)	100mm
11110544	27U	Mesh	51.2"(1300mm)	24.9"(633mm)	27.6"(700mm)	331lbs (150kg)	100mm

Wall Mount Cabinets

ELITE SERIES WALL MOUNT CABINETS

Secure Design | Space-Saving | Easy Installation

DESCRIPTION

The Tecmojo Elite Cabinet is built for secure and reliable network deployments in space-constrained environments. Featuring a swing-out design for easy rear access, lockable doors, and excellent ventilation, it provides strong protection and convenient cable management for critical equipment.



SKU : 11110436

KEY FEATURES



Secure & Durable

Heavy-duty cold-rolled steel construction with lockable front and rear doors.



High Load Capacity

Supports up to 110lbs (50kg) maximum static load.



Easy Installation

Wall-mount design within cluded mounting hardware for quick setup.

SPECIFICATIONS

Material	Cold Rolled Steel
Weight Capacity	176lbs (wall) / 350lbs (floor)
Mounting	19-inch Rack Mount
Door Type	Lockable Mesh/Glass Front Door / Lockable Steel Rear Door
Cable Entry	Top & Bottom with Brush Panels
Ventilation	Vented Top, Bottom & Perforated Doors
Compliance	EIA/ECA-310-E Compliant
Application	Suitable for cabinets and open frame racks
Package Includes	Cabinet/ Two Cooling Fans / Hardware/Keys/User Manual

CONFIGURATIONS

SKU	Rack Units	Door	Height	Depth	Width	Weight Capacity	Maximum Rail Depth
11110423	6U	Glass	13.8" (350mm)	23.6" (600mm)	23.6" (600mm)	176lbs (wall) 350lbs (floor)	21.3" (541mm)
11110424		Mesh					
11110427	9U	Glass	19.0" (483mm)				
11110428		Mesh					
11110431	12U	Glass	24.3" (616mm)				
11110432		Mesh					
11110435	15U	Glass	29.6" (750mm)				
11110436		Mesh					
11110439	18U	Glass	34.8" (883mm)				
11110440		Mesh					



Sharkrack.com



sharkrack@sharkrack.com



1.866.99-SHARK(997-4275)



STANDARD SERIES WALL MOUNT CABINETS

Secure Design | Space-Saving | Easy Installation

DESCRIPTION

The Tecmojo Standard Cabinet is built for secure and reliable network deployments in space-constrained environments. Featuring a swing-out design for easy rear access, lockable doors, and excellent ventilation, it provides strong protection and convenient cable management for critical equipment.



SKU : 11110201

KEY FEATURES



Secure & Durable

Heavy-duty cold-rolled steel construction with lockable front and rear doors.



High Load Capacity

Supports up to 110lbs (50kg) maximum static load.



Easy Installation

Wall-mount design within cluded mounting hardware for quick setup.

SPECIFICATIONS

Material	Cold Rolled Steel
Weight Capacity	110lbs (50kg)
Mounting	19-inch Rack Mount
Door Type	Lockable Mesh/Glass Front Door / Lockable Steel Rear Door
Cable Entry	Top & Bottom with Brush Panels
Ventilation	Vented Top, Bottom & Perforated Doors
Compliance	EIA/ECA-310-E Compliant
Application	Suitable for cabinets and open frame racks
Package Includes	Cabinet/ One Cooling Fans / Hardware/Keys/User Manual

CONFIGURATIONS

SKU	Rack Units	Door	Colour	Height	Depth	Width	Weight Capacity	Max mountable depth
11110201	6U	Glass	Black	13.8" (350mm)	17.7" (450mm)	21.7" (550mm)	110lbs (50kg)	14.2" (360mm)
11110201B		Glass	White					
11110201C		Mesh	Black					
11110202	9U	Glass	Black	19.0" (483mm)				
11110202B		Glass	White					
11110202C		Mesh	Black					
11110203	12U	Glass	Black	24.3" (616mm)				
11110203B		Glass	White					
11110203C		Mesh	Black					
11110204	15U	Glass	Black	29.6" (750mm)				
11110205	18U	Glass	Black	34.8" (883mm)				
11110204C		Mesh	Black					



WALL MOUNT CABINET

WITH THERMOSTAT

LowProfile | Versatile | Reliable

DESCRIPTION

Tecmojo Wall Mount Cabinet is a premium solution for organizing and securing your IT equipment, AV components, and networking devices. Built with heavy duty cold rolled steel, this cabinet features a smart thermostat-controlled dual fan system that automatically activates at your pre-set temperature for efficient cooling. With a lockable reversible front door, removable panels, and versatile mounting options, it's ideal for any professional setup.



SKU : 11110101

KEY FEATURES



Secure & Durable

Heavy-duty cold rolled steel construction ensures long-lasting performance.



Easy Installation

Wall-mount design within cluded mounting hardware for quick setup.



Smart Thermostat Fans

Dual fans auto-start at set temperature to keep your equipment cool and performing optimally.



High Load Capacity

Supports up to 120lbs(50kg) of equipment for reliable use.

SPECIFICATIONS

Frame Type	Open Frame
Rack Space	6U / 9U / 12U
Mounting Hole Spacing	16" (406mm)
Material	Cold Rolled Steel
Smart Cooling	Dual Thermostat-Controlled Fans
Compliance	EIA/ECA-310-E Compliant
Weight Capacity	110lbs (50kg)
Mounting Depth (Max)	14.2" (360mm)

CONFIGURATIONS


SKU	Capacity (U)	Height	Depth	Width
11110101	6U	14.4" (367.6mm)	17.7"(450mm)	21.7"(550mm)
11110102	6U	19.7" (500.9mm)		
11110103	9U	24.9" (634.3mm)		



POWER DISTRIBUTION UNIT

DESCRIPTION

TECMOJOPDUs are the Simplest way to power and protect your rack mount equipment. Tecmojo PDU's are designed to America standards. Tecmojo PDU's have a Metal Alloy casing. Tecmojo Vertical PDU's are designed to mount via drop in Key holes situated on the Tecmojo Cable/PDU mounting trays. Tecmojo Horizontal PDU's are designed to fit into any 19" rack. All Tecmojo PDU's are equipped with overload protection.



INSTALLATION GUIDE

- Retrieve the unit and hardware kit
- Secure the unit to rack with mounting screws
- Connect power cord to grounded 125V AC source
- Turn on the switch; check LEDs for normal status
- Overload Reset

CONFIGURATIONS

SKU	Outlets	Surge Protection	LED Indicators	Individual Switch	USB Ports	Housing	Dimensions	Weight
13110801	8	Ye	P/G/S	No	No	Aluminum	482.6×44.4×44.5mm	1.05kg
13110802	8	s	G/S	No	No	Steel	482.6×95.5×44.4mm	1.94kg
13110901	9	Ye	None	Ye	No	Steel	482.6×127×44.4mm	2.3kg
13110902	9	s	None	s	2A+2C 20W	Steel	482.6×126×44.4mm	2.4kg
13111201	12 (6F+6R)	No	None	Ye	No	Steel	482.6×95.5×44.4mm	1.96kg
13111202	12 (6F+6R)	No	P/G/S	s	No	Steel	482.6×95.5×44.4mm	2.0kg
13111901	19 (3F+16R)	NO	None	No	4	Steel	482.6X126.8X44.4mm	3.7kg

12U/16U/20U WALL MOUNT AV RACKS

Reliable | Sturdy | Versatile

DESCRIPTION

Tecmojo AV wall mount racks are ideal for organizing and mounting AV equipment, media players, amplifiers, network gear, and other devices. Built from heavy duty cold rolled steel, these racks offer excellent strength, ventilation and flexible installation options. Choose models with or without casters to fit your setup needs.

KEY FEATURES



Secure & Durable

Heavy duty cold rolled steel construction for long-lasting strength.



High Load Capacity

Up to 130lbs (59kg) wall load capacity, 260lbs (117kg) floor load capacity.



Space Saving

Compact open-frame design perfect for tight spaces.



Easy Installation

Wall-mount design within cluded mounting hardware for quick setup.

SPECIFICATIONS

Material	Cold Rolled Steel
Weight Capacity	260lbs (117kg) wall / 130lbs (59kg) Floor
Mounting	19-inch Wall Mount
Shelf Type	Ventilated Shelves
Adjustable Shelf	yes
Compliance	EIA/ECA-310-E Compliant
Application	Suitable for cabinets and open frame racks
Package Includes	Rack, Shelves, Mounting Hardware, Leveling Feet (or Casters), User Manual

CONFIGURATIONS

SKU	Rack Space	Caster	Colour	Height	Depth	Width	Wall Weight Capacity	Floor Weight Capacity
11120101	12U	No	Black	21.0" (534mm)	20.2" (512mm)	20.5" (520mm)	130lbs (59kg)	260lbs (117kg)
11120102	16U	No	White	28.0" (714mm)				
11120103	20U	No	Black	34.1" (890mm)				
11120121	12U	Ye	Black	22.0" (559mm)				
11120122	16U	s	White	29.0" (737mm)				
11120123	20U	Ye	Black	35.1" (915mm)				



SKU : 11120101



19" PORTABLE ROLLING RACK-SQUARE HOLE

Compact | Durable | Mobile | Versatile

DESCRIPTION

Tecmojo 19" Portable Rolling Rack Square Hole is a durable open-framerack designed for easy installation and mobility of IT and AV equipment. Featuring square hole mounting rails, built-in handles, and locking casters, it is ideal for offices, studios, network closets, and more.



SKU : 11150301

KEY FEATURES



Secure & Durable

Heavy-duty cold rolled steel construction ensures long-lasting performance.



Built-in Handles

Built-in side handles for convenient and easy mobility.



Cable Management

Top and bottom brush panels help organize cables and improve airflow.



Locking Casters

Equipped with four robust casters, two with brake to secure the rack in place.

SPECIFICATIONS

Material	Cold Rolled Steel
Weight Capacity	132lbs (60kg)
Mounting	19-inch Wall Mount
Rack Space	9U/12U/15U
Mounting Rails	Square Hole
Compliance	EIA/ECA-310-E Compliant
Frame Type	Open Frame

CONFIGURATIONS

SKU	Rack Space (U)	Height (mm)	Width (mm)	Depth (mm)	Weight Capacity
11150301	9U	16.77" (426mm)	22.04" (560mm)	23.62" (600mm)	132lbs (60kg)
11150302	12U	21.18" (538mm)	22.04" (560mm)	23.62" (600mm)	132lbs (60kg)
11150301	15U	26.73" (679mm)	22.04" (560mm)	23.62" (600mm)	132lbs (60kg)



Foldable Vertical Rack



SKU : 11130323

DESCRIPTION

Tecmojo wall mount bracket is designed to mount network switches, patch panels, and other A/V components horizontally under a desk or on a wall. It helps free up valuable desktop and rack space while keeping your equipment secure and accessible.

KEY FEATURES



Secure & Durable

Cold rolled steel construction ensures strength and long-lasting performance.



High Load Capacity

Supports up to 44 lbs(20kg) of equipment for reliable use.



Space Saving

Compact open-framed design perfect for tight spaces.

CONFIGURATIONS

SKU	Rack Space (U)	Height (mm)	Width (mm)	Depth (mm)	Weight Capacity
11130321	1U	4.0" (101.6mm)	19.3" (489mm)	2.3" (58.1mm)	44 lbs (20kg)
11130322	2U			4.0" (102.6mm)	44 lbs (20kg)
11150323	3U			5.8" (147.0mm)	44 lbs (20kg)
11150324	4U			7.5" (191.5mm)	44 lbs (20kg)

VERTICAL WALL-MOUNT RACK

DESCRIPTION

Tecmojo 19" Vertical Wall-Mount Rack is a low-profile open frame rack designed for organizing and mounting small networking equipment, patch panels, network switches, and other 19" rack-mount devices.

KEY FEATURES



Secure & Durable

Cold rolled steel construction ensures strength and long-lasting performance.




High Load Capacity

Supports up to 132 lbs(60kg) of equipment for reliable use.



Space Saving

Compact open-framed design perfect for tight spaces.



SKU : 11130303

CONFIGURATIONS

SKU	Rack Space (U)	Height 1 (mm)	Height 2 (mm)	Width (mm)	Depth (mm)	Weight Capacity
11150303	2U	23.9" (606mm)	22.28" (565.8mm)	19.8" (504mm)	23.62" (600mm)	132lbs (60kg)
11150306	4U				23.62" (600mm)	132lbs (60kg)



19" WALL MOUNT RACK

DESCRIPTION

Tecmojo 19" Portable Rolling Rack Square Hole is a durable open-framerack designed for easy installation and mobility of IT and AV equipment. Featuring square hole mounting rails, built-in handles, and locking casters, it is ideal for offices, studios, network closets, and more.

KEY FEATURES



Secure & Durable

Heavy-duty cold rolled steel construction ensures long-lasting performance.



Space Saving

Compact open-framedesign perfect for tight spaces.



Cable Management

Top and bottom brush panels help organize cables and improve airflow.



High Load Capacity

Supports up to 120lbs(50kg) of equipment for reliable use.



SKU : 11130522



SKU : 11130532



SKU : 11130542

SPECIFICATIONS

Frame Type	Open Frame
Rack Space	4U / 6U / 8U
Mounting Hole Spacing	16" (406mm)
Material	Cold Rolled Steel
Mounting Rails	Square Hole
Compliance	EIA/ECA-310-E Compliant
Weight Capacity	4U/6U: 110lbs (50kg) 8U: 132lbs (60kg)
Cable Management	Built-in Cable Tie Tabs

CONFIGURATIONS

SKU	Rack Space (U)	Height (mm)	Width (mm)	Depth (mm)	Weight Capacity
11130522	4U	7.2" (183mm)	19.3"(490mm)	13.8"(350mm)	132lbs (60kg)
11130523	6U	10.7" (272mm)			
11130524	8U	14.2" (361mm)			
11130532	4U	7.7" (195.6mm)	19.7"(499.6mm)	13.9" (351.8mm)	
11130533	6U	11.2" (284.5mm)			
11130534	8U	14.7" (373.4mm)			
11130542	4U	7.7" (195.6mm)	19.7"(499.6mm)	15.9"(403mm)	
11130543	6U	11.2" (284.5mm)			
11130544	8U	14.7" (373.4mm)			



SWING GATE WALL MOUNT RACK

DESCRIPTION

Tecmojo Swing Gate Wall Mount Rack is a heavy duty, space-saving solution for organizing and securing your network equipment, servers, and telecom devices.

Featuring a dual-hinged swing gate that opens 180° for convenient access, this rack is designed for easy installation and maintenance in tight spaces.

Available in 6U, 9U, 12U, 15U and 18U sizes to meet various installation needs.



SKU : 11130123

KEY FEATURES



Secure & Durable

Heavy-duty cold rolled steel construction ensures long-lasting performance.



Easy Installation

Wall-mount design within cluded mounting hardware for quick setup.



Space Saving

Compact open-framedesign perfect for tight spaces.



High Load Capacity

Supports up to 120lbs(50kg) of equipment for reliable use.

SPECIFICATIONS

Frame Type	Open Frame
Rack Space	6U / 9U / 12U / 15U / 18U
Mounting Hole Spacing	16" (406mm)
Material	Cold Rolled Steel
Dual-purpose Mounting Rails	Square & Threaded Holes are interchangeable
Compliance	EIA/ECA-310-E Compliant
Weight Capacity	110lbs (50kg)

CONFIGURATIONS

SKU	Capacity(U)	Height	Depth	Material
11130121	6U	15.6" (395.3mm)	17.8"(451.5mm)	20.1" (509.5mm)
11130123	9U	20.8" (528.7mm)		
11130125	12U	26.1" (662.0mm)		
11130127	15U	31.3" (795.4mm)		
11130129	18U	36.6"(928.7mm)		
11130122	6U	15.6" (395.3mm)	23.8"(604.2mm)	
11130124	9U	20.8" (528.7mm)		
11130126	12U	26.1"(662.0mm)		
11130128	15U	31.3" (795.4mm)		
11130130	18U	36.6" (928.7mm)		





Wall Mount Rack

19" FIXED WALL MOUNT RACK

DESCRIPTION

Tecmojo 19" Vertical Wall Mount Rack is a low-profile, wall-mountable rack designed for organizing and mounting small networking equipment, patchpanels, network switches, and other 19" rack-mount devices.

It features a sturdy cold-rolled steel construction, side ventilation holes for efficient airflow, multiple mounting points, and square & threaded holes to fit your setup.



SKU : 11130201

KEY FEATURES



Secure & Durable

Heavy-duty cold rolled steel construction ensures long-lasting performance.



Space Saving

Compact open-framedesign perfect for tight spaces.



Easy Installation

Wall-mount design within cluded mounting hardware for quick setup.



High Load Capacity

Supports up to 110lbs(50kg) of equipment for reliable use.

SPECIFICATIONS

Frame Type	Open Frame
Rack Space	6U / 9U /12U/15U
Mounting Hole Spacing	16" (406mm)
Material	Cold Rolled Steel
Dual-purpose Mounting Rails	Square & Threaded Holes are interchangeable
Compliance	EIA/ECA-310-E Compliant
Weight Capacity	110lbs (50kg)
Cable Management	Built-in Cable Tie Tabs

CONFIGURATIONS

SKU	Capacity (U)	Height	Depth	Width
11130201	6U	15.8" (401.3mm)	13.6" (346.4mm)	19.9" (506mm)
11130202	6U	15.8" (401.3mm)	24.8"(629.9mm)	
11130203	9U	18.9" (479.7mm)	13.6" (346.4mm)	
11130204	9U	18.9"(479.8mm)	24.8"(629.9mm)	
11130206	12U	24.1" (613.1mm)	13.6" (346.4mm)	
11130210	15U	29.4" (746.4mm)	13.6" (346.4mm)	





19"DESKTOP RACK

DESCRIPTION

TTecmojo 19" Desktop Mini Rack is a compact open framerack designed for organizing and mounting small networkingequipment, mini PCs, servers, and telecom devices.

It features a sturdy steel frame with multiple mounting points,tapped and square rack holes compatibility, and adjustablecomponents to fit your setup.

Available in 8U and 12U sizes to meet various installation needs.



SKU : 11150101

KEY FEATURES



Secure & Durable

Heavy-duty cold rolled steel construction ensures long-lasting performance.



Space Saving

Compact open-framedesign perfect for tight spaces.



Easy Installation

Wall-mount design within cluded mounting hardwarefor quick setup.



High Load Capacity

Supports up to110lbs(50kg) of equipmentfor reliable use.

SPECIFICATIONS

Frame Type	Open Frame
Rack Space	8U / 12U
Material	Cold Rolled Steel
Mounting Rails	Square Holes
Compliance	EIA/ECA-310-E Compliant
Weight Capacity	110lbs (50kg)

CONFIGURATIONS

SKU	Capacity (U)	Height	Depth	Width
11150101	8U	16.1" (408mm)	11.6"(295mm)	19.8" (503mm)
11150102	12U	23.0" (584mm)		



2-POST OPEN FRAME SERVER

RACK SQUARE HOLE

Heavy Duty Steel | Space Saving | Versatile

DESCRIPTION

This 2-post open frame server rack is built for 19-inch standard equipment and ideal for network closets, data centers, AV setups, and telecom applications. The open-frame design offers excellent airflow and easy access, while the square hole mounting pattern ensures compatibility and quick installation.

Available in multiple U-heights to accommodate various devices and setups.

KEY FEATURES



Secure & Durable

Heavy-duty cold rolled steel construction ensures long-lasting performance.



Easy Installation

Wall-mount design within cluded mounting hardware for quick setup.



Space Saving

Compact open-frame design perfect for tight spaces.



High Load Capacity

Supports up to 110lbs(50kg) of equipment for reliable use.

SPECIFICATIONS

Frame Type	2-Post Open Frame
Rack Space	27U / 38U / 45U
Material	Cold Rolled Steel
Dual-purpose Mounting Rails	Square & Threaded Holes are interchangeable
Compliance	EIA/ECA-310-E Compliant
Weight Capacity	1763 lbs (800kg)

CONFIGURATIONS

SKU	Capacity (U)	Height	Depth	Width
11150204	27U	52.4" (1333mm)	13.6" (346.4mm)	19.9" (506mm)
11150206	38U	71.7" (1822mm)	24.8" (629.9mm)	
11150208	45U	84.0" (2133mm)	13.6" (346.4mm)	





4-POST OPEN FRAME SERVER RACK SQUARE HOLE

Adjustable in 1" increment between 23.6" and 39.3"

DESCRIPTION

This 2-post open frame server rack is built for 19-inch standard equipment and ideal for network closets, data centers, AV setups, and telecom applications. The open-frame design offers excellent airflow and easy access, while the square hole mounting pattern ensures compatibility and quick installation.

Available in multiple U-heights to accommodate various devices and setups. Suitable for 19in wide directly installable equipment and rack shelves; Available in 38U, 45U, tapped holes, square holes



KEY FEATURES



Secure & Durable

Heavy-duty cold rolled steel construction ensures long-lasting performance.



Space Saving

Compact open-frame design perfect for tight spaces.



Easy Installation

Wall-mount design within included mounting hardware for quick setup.



High Load Capacity

Supports up to 3527lbs (1600kg) of equipment for reliable use.

SPECIFICATIONS

Frame Type	Open Frame
Rack Space	38U/45U
Material	Cold Rolled Steel
Dual-purpose Mounting Rails	Square Holes
Compliance	EIA/ECA-310-E Compliant
Weight Capacity	3527lbs (1600kg)
Cable Management	Built-in Cable Tie Tabs

CONFIGURATIONS

SKU	Capacity (U)	Height	Depth	Width
11150210	38U	1867mm	MAX:1000 MIN:600	600mm
11150212	45U	2178mm		





10" DESKTOP MINI RACK

DESCRIPTION

Tecmojo 10" Desktop Mini Rack is a compact open framerack designed for organizing and mounting small networking equipment, mini PCs, servers, and telecom devices. It features a sturdy steel frame with acrylic side panels, multiple mounting points, and adjustable components to fit your setup. Available in 4U, 6U, 9U, and 12U sizes to meet various installation needs.



SKU : 11120501

KEY FEATURES



Secure & Durable

Heavy-duty cold rolled steel construction ensures long-lasting performance.



Easy Installation

Simple assembly with all necessary hardware and tools included.



Space Saving

Space-saving 10-inch width perfect for desks, offices, or small spaces.



High Load Capacity

Supports up to 120lbs(50kg) of equipment for reliable use.

SPECIFICATIONS

Frame Type	Open Frame
Rack Space	4U / 6U / 9U / 12U
Material	Steel Frame / Acrylic Sides
Material	Cold Rolled Steel
Dual-purpose Mounting Rails	Square Holes are interchangeable
Compliance	EIA/ECA-310-E Compliant
Finish	Black & White Powder Coated
Accessories	Complete hardware kit included

CONFIGURATIONS

SKU	Capacity (U)	Height	Depth	Width
11120500	4U	11.0"(280.2mm)	7.9"(200mm)	11.02"(280mm)
11120500A				
11120501	6U	14.5"(369.1mm)		
11120501A				
11120502	9U	19.9"(502.45mm)		
11120502A				
11120503	12U	25.0"(635.8mm)	10.2"(260mm)	
11120503A				



10" WALL-MOUNTED SERVER CABINET

Secure | Compact | Reliable

DESCRIPTION

Tecmojo 10" Wall-Mounted Server Cabinet is designed for secure and efficient storage of network equipment, servers, and telecom devices.

It features a sturdy cold rolled steel structure, reversible locking glass door, excellent ventilation, and adjustable mounting rails for easy installation and maintenance.

Ideal for home labs, offices, and small network setups where space-saving and security are essential.



SKU : 1110209

KEY FEATURES



Secure & Durable

Heavy-duty cold rolled steel construction ensures long-lasting performance.

Excellent Ventilation



Vented slots on sides, top & bottom ensure optimal airflow.



Locking Glass Door

Reversible tempered glass door with secure lock.



High Load Capacity

Supports up to 120lbs (50kg) of equipment for reliable use.

SPECIFICATIONS

Mounting	Wall-Mounted
Rack Space	6U / 9U / 12U
Max Mountable Depth	9.88" (251mm)
Material	Cold Rolled Steel
Compliance	EIA/ECA-310-E Compliant
Weight Capacity	110lbs (50kg)
Door	Reversible / Locking Tempered Glass

CONFIGURATIONS

SKU	Capacity (U)	Height	Depth	Width
11110209	6U	11.8" (330mm)	13.0" (330mm)	12.3" (312mm)
11110209B	6U			
11110210	9U	16.9" (430mm)		
11110211	12U	23.2" (590mm)		





10in Rack Cable Management

Low Profile | Versatile | Reliable

DESCRIPTION

Tecmojo 19" Vertical Wall Mount Rack is a low-profile, wall-mountable rack designed for organizing and mounting small networking equipment, patch panels, network switches, and other 19" rack-mount devices.

It features a sturdy cold-rolled steel construction, side ventilation holes for efficient airflow, multiple mounting points, and square & threaded holes to fit your setup.

KEY FEATURES



Secure & Durable

Heavy-duty cold rolled steel construction ensures long-lasting performance.



Space Saving

Compact open-frame design perfect for tight spaces.



Easy Installation

Wall-mount design within cluded mounting hardware for quick setup.



Compatible

Compatible with the 10 in Rack

SPECIFICATIONS

0.5U Rack Mount Cable Manager

- Compatible with all 10" racks
- 3 D-rings for organized cable routing
- Material: Cold Rolled Steel
- Dimensions: 9.92"W x 1.81"D x 0.86"H
- Rack Space: 0.5U



3 Metal D-Ring Hooks



Organize cables to reduce clutter

Rack Mount 10" Brush Panel

- Dense black nylon brush
- Maintains airflow and minimizes dust buildup
- Material: Cold Rolled Steel / Nylon Brush
- Dimensions: 9.92"W x 0.31"D x 0.86"H
- Rack Space: 0.5U



Dense Black Nylon Brush



Keeps cable organized and prevents dust entry

CONFIGURATIONS

SKU	Capacity (U)	Height	Depth	Width
15130511-2	0.5U	0.86" (22mm)	0.31" (8mm)	9.92" (252mm)
15130512-2	0.5U	0.86" (22mm)	1.81" (46mm)	



SKU : 15130511

SKU : 15130512



0.5U VENTED CANTILEVER SHELF

Heavy Duty Steel Optimized Airflow

DESCRIPTION

This 0.5U vented cantilever shelf is designed for 10-inch racks and provides a stable platform for your networking equipment, mini PCs, AV devices, and more. The vented design ensures optimal airflow and heat dissipation to keep your equipment cool and reliable.



SKU : 14110502

KEY FEATURES



Secure & Durable

Heavy duty cold rolled steel construction offers strong support and long-lasting use.



Optimized Ventilation

Perforated design promotes airflow and heat dissipation to protect your equipment.



Easy Installation

Simple installation with included hardware for quick and secure mounting.



Adjustable Depth

Adjustable mounting brackets fit 10" racks.

SPECIFICATIONS

Rack Space	0.5U
Material	Cold Rolled Steel
Depth (Adjustable)	7.87" - 10.24" (200mm - 260mm)
Compliance	EIA/ECA-310-E Compliant
Weight Capacity	22lbs (10kg)
Cable Management	Built-in Cable Tie Tabs

CONFIGURATIONS

SKU	Capacity (U)	Height	Depth	Width
14110501	0.5U	0.86" (22mm)	7.87" (200mm)	9.92" (252mm)
14110501-2			10.23" (260mm)	
14110502			7.87" (200mm)	
14110521	1U	1.75" (44.45mm)	10.23" (260mm)	
14110523			10.23" (260mm)	





0.5U 12 PORT PATCH PANEL

Compact | Versatile | Reliable

DESCRIPTION



Tecmojo 12 Port Patch Panel is a 0.5U rack mount solution designed for organizing and managing network connections in your setup. Featuring 12 standard Cat6 ports, it ensures reliable performance for your data infrastructure. Built with a durable steel frame, it offers long-lasting strength and stability. The removable keystone inserts allow for easy installation and maintenance.

Perfect for IT professionals, home labs, and networking environments that demand efficiency and organization.

CONFIGURATIONS

SKU	Capacity (U)	Height	Depth	Width
15130513	0.5U	0.86" (22mm)	1.2" (30.7mm)	9.92" (252mm)

0.5U-4-POST FIXED RACK MOUNT SHELF

Designed for 10" Racks, Not Compatible with 19" Racks

DESCRIPTION

This 0.5U fixed rack mount shelf is designed for 10-inch racks and provides a stable platform for your networking equipment, mini PCs, AV devices, and more. The vented design ensures optimal airflow and heat dissipation to keep your equipment cool and reliable.



CONFIGURATIONS

SKU	Capacity (U)	Height	Depth	Width
15130501	0.5U	0.86" (22mm)	7.87" (200mm)	9.92" (252mm)

